

A Guide on Hazardous Waste Management for Florida's Automotive Repair Shops

Hazardous Waste (RCRA) Compliance Assistance Program



With support from:

Virginia Wetherell, Secretary John Ruddell, Waste Division Director Bill Hinkley, Solid & Hazardous Waste Bureau Chief and

U.S. Environmental Protection Agency, Region IV

Prepared by

Florida Department of Environmental Protection Hazardous Waste Compliance Assistance Program

Satish Kastury, Administrator
Janet Ashwood, Project Manager
Mike Redig, Tallahassee
Glen Perrigan, Tallahassee
John Scarboro, Tallahassee
Ed O'Connell, Northwest District
Vicky Valade, Northeast District
John White, Central District
Beth Knauss, Southwest District
Jeff Smith, Southeast District
Laura Comer, South District
Charles Emery, South District

and

Florida Center for Solid and Hazardous Waste Management

John Schert, Executive Director Anita Kugler, Technical Editor Joni Schmidt, Graphic Artist Jackie Erney, Graphic Editor

This document was published to help educate businesses on hazardous waste management issues affecting them. The suggested options may help businesses to operate in an environmentally appropriate manner. Some of the options may go beyond what is required to remain in compliance with regulations. Business owners are responsible for obtaining complete information about applicable regulations. Misrepresentations or omissions by the Florida Department of Environmental Protection or the Florida Center for Solid and Hazardous Waste Management do not relieve any person from any requirement of federal regulations or Florida law.

This document was printed at a cost of \$.275 per copy on recycled paper with soy-based inks.

June 1996

WHY SHOULD I CARE ABOUT HAZARDOUS WASTES?

As a business owner, operator or employee, you may be producing materials that can harm people and the environment.

This booklet offers helpful tips on how to:

- comply with federal and state hazardous waste regulations.
- avoid penalties by properly managing hazardous wastes.
- save money on disposal costs by reducing hazardous wastes.

Health and Environment

Hazardous wastes spilled or dumped on the ground or disposed of in dumpsters may seep into the groundwater and contaminate drinking water supplies.

Hazardous wastes may run off into the nearest body of water where they may poison or kill fish and other wildlife.

Hazardous wastes pose a health risk to you, your employees and your community.

Cost Savings

State and county inspectors may visit your business to ensure that hazardous wastes are being managed properly. State penalties may range from \$100 to \$50,000 per violation per day.

Reducing hazardous wastes can reduce your production and disposal costs and reduce your liability risk.

Public Image

Your customers will appreciate your efforts to prevent pollution.

Your community will recognize your business as a good neighbor.



WHAT IS A HAZARDOUS WASTE?

A waste is hazardous if:

- it has any of the characteristics described below.
- it is listed as a hazardous waste in the Code of Federal Regulations, 40 CFR Part 261.

Characteristic Wastes

Ignitable

Ignitable wastes are easily combustible or flammable. If they have a flashpoint of less than 140°F or an alcohol content of 24% or more, they are hazardous wastes. Examples include some paints, paint solvents, other solvents and degreasers.



Corrosive

Corrosive wastes corrode metals or other materials or burn the skin. These liquids have a pH of 2 or lower or 12.5 or higher. Examples include rust removers, acid or alkaline fluids and battery acid.



Reactive

Reactive wastes are unstable and react rapidly or violently with water or other materials. Examples include bleaches, oxidizers, cyanides and exposives, such as sodium azide and dynamite.



Toxic

Wastes are toxic if they contain certain heavy metals, such as chromium, lead or cadmium, or toxic organic chemicals. Examples include some parts cleaners, chromium-bearing paints and spray booth filters.



Listed Wastes

A waste is hazardous if it is listed in the Code of Federal Regulations, 40 CFR Part 261. For details on listed wastes and waste code numbers, contact the Florida Department of Environmental Protection. (See page 15 for DEP phone numbers.) The Code of Federal Regulations is available at most libraries or may be purchased from the U.S. Government Bookstore (phone (904) 353-0569).


Acutely Hazardous Wastes

Small amounts of very dangerous wastes, such as arsenic and cyanide compounds, are regulated in the same way as large amounts of other wastes. A business that generates 2.2 pounds (1 kilogram) or more of these wastes per month is subject to full regulation under the hazardous waste rules.

Identifying Your Hazardous Wastes

It is very important to determine whether a waste is hazardous or non-hazardous. There are several ways to identify hazardous wastes.

- Obtain and read Material Safety Data Sheets (MSDS).
- ► Talk to product suppliers and manufacturers.
- Read product labels.
- Compare product and process information to hazardous waste characteristics and to wastes listed in federal regulations.
- If product or process information is not available or is inconclusive, have a commercial lab sample and test the waste using the TCLP test.
- A non-hazardous material or product may become a hazardous waste due to contaminants added during use. Lab testing may be necessary.



SOURCES OF HAZARDOUS WASTE

Vehicle Repair and Maintenance

Used Oil

Used oil that is not mixed with a hazardous waste and is recycled is exempt from state and federal regulation as a hazardous waste. If oil is spilled on the ground and not cleaned up immediately, the oil and soil are likely to be hazardous and cause a groundwater contamination problem.

Lead Acid Batteries

Reclaimed lead acid batteries that are properly handled are exempt from regulation. Batteries that are thrown away are hazardous wastes.

Engine Coolant

Used coolant may contain perc, solvents and heavy metals. Coolant should be recycled through an approved recycling company. For more information, obtain a fact sheet from DEP. (See page 15 for DEP phone numbers.)

Parts Cleaners and Parts Washers

Spent parts cleaners and washers are considered hazardous wastes because they have a low flashpoint (less than 140ßF) or they can be toxic. Common solvents include mineral spirits, MEK, 1,1,1-trichloroethane and toluene. Some solvents become hazardous wastes because they are contaminated with heavy metals such as lead, cadmium, chromium or barium. Do not mix spent solvents with usec oil. Mixing a hazardous cleaner with any other substance makes the entire mixture hazardous.

Shop Cleanup

Rags contaminated with used oil or solvents may be a hazardous waste. If your shop washes rags, water must be discharged to a publicly owned sanitary sewer, not a storm sewer, septic tank or cesspool. If you use a towel service, make sure the company discharges its water to a publicly owned sewer system.

TYPICAL HAZARDOUS WASTES

Cleaners and degreasers may be hazardous if they are:

- solvents that contain hazardous ingredients
- strong acids or alkalies (caustics)
- contaminated with heavy metals

Solvents

Acetone Benzene n-Butylalcohol Chlorobenzene Cresols Cresylic acid o-Dichlorobenzene Ethanol 2-Ethoxyethanol Ethyl acetate Ethy benzene Ethyl ether Isobutanol Isopropanol Methanol (wood alcohol) Methyl ethyl ketone Methylene chloride Mineral spirits Naphtha Nitrobenzene 2-Nitropropane Perchloroethylene Petroleum distillates Tetrachloroethylene Toluene 1.1.1-Trichloroethane 1,1,2-Trichloroethane Trichloroethylene Trichlorotrifluorethane

Xylene

Caustics

Acetic acid
Ammonium hydroxide
Hydrochloric acid
Hydrofluoric acid
Nitric acid
Phosphoric acid
Potassium hydroxide
Sodium hydroxide
Sulfuric acid

Heavy Metals

Arsenic Barium Cadmium Chromium Lead



For more information on hazardous wastes, contact DEP. (See page 15 for DEP phone numbers.)

7

HOW SHOULD I MANAGE HAZARDOUS WASTES?

First, determine how much hazardous waste you generate each month. The rules you must follow depend on how much you generate, how much you store, and how long you store it.

- Less than 220 pounds (100 kilograms or about half a drum): you are a "Conditionally Exempt Small Quantity Generator."
- ► 220 2,200 pounds (100 1,000 kilograms or about half a drum to 5 drums): you are a "Small Quantity Generator."
- ► More than 2,200 pounds (1000 kilograms or more than about 5 drums): you are a "Large Quantity Generator."

The following practices may be required for your business. Additional information is available from DEP.

Containers

- Maintain containers in good condition. Prevent leaks, ruptures and accumulation of rainwater on tops of drums.
- ▶ If a container leaks, transfer waste to a new container.
- Keep containers closed and use self-closing funnels when adding waste.
- Wastes must be compatible with the container. For example, use HDPE plastic containers for corrosive wastes.
- ► Never place incompatible wastes, such as wastes that react with each other (acids and bases), in the same container.

Storage

- ► Maintain adequate aisle space between container rows to allow inspection for leaks and damage.
- Store ignitable and reactive wastes at least 50 feet from property boundaries.
- Store containers of incompatible wastes in separate areas.
- ► Be aware of allowable time limits for storage.



Labels

- Label every container with the type of waste and whether it is hazardous or non-hazardous.
- Include federal waste code numbers.
- Include the accumulation start date (the date when waste was first placed in the drum).
- ▶ Include your business's name and address.
- ▶ Use the following words on labels for hazardous wastes:

HAZARDOUS WASTE

FEDERAL LAW PROHIBITS IMPROPER DISPOSAL

If found, please contact the nearest police or public safety authority or the U.S. EPA

(Your business's name and address and manifest document number)

Transport and Disposal

- Make sure your transporter and disposal facility have EPA identification numbers.
- Use manifests for all hazardous wastes shipped offsite.

Inspections and Recordkeeping

- ► Inspect containers at least once a week and keep a written log of container inspections.
- Keep training and inspection records for 3 years.
- ► Keep manifests and shipping receipts for 3 years.
- Keep records of lab tests for 3 years.
- Keep land disposal restriction forms for 5 years.

Training

- Train all employees to identify, reduce and properly handle wastes.
- Train new employees before they handle hazardous wastes.

9

HOW CAN I REDUCE HAZARDOUS WASTES?

Reducing hazardous wastes in your repair shop makes good business sense. Benefits include:

- saving money on raw materials and waste management costs.
- reducing concerns about penalties and liability.
- creating a safer, healthier workplace.

How Do I Begin?

- Make a commitment to reducing wastes in every area of your business.
- ► Evaluate your shop's wastes and identify areas where changes can be made.
- ► Encourage the participation of all employees through education, training and incentives.

Solvents

- ► Reduce or eliminate solvent use by determining whether cleaning is really necessary.
- Use a multi-purpose solvent to reduce the types of hazardous waste that need to be managed.


 Find less hazardous substitutes for solvents, such as citrusbased, water-based or detergentbased cleaners.

Remove parts slowly from parts washers to minimize splashing and evaporation.

Use solvent sinks properly: use drip trays, allow more drainage time, use filters to prolong solvent life and keep lids closed when not in use.

Replace solvent only when necessary.

 Use dedicated equipment to minimize crosscontamination.



Training

► Train employees to use solvents and chemicals efficiently, using minimal amounts required to get the job done.

Automotive Fluids

- ► Keep used oil and other vehicle fluids segregated from solvent wastes and carburetor cleaner.
- Label waste containers clearly to prevent contamination of nonhazardous wastes.
- ► Contract with approved recycling services for used antifreeze, old lead acid batteries, used oil and oil filters.
- Use separate receptacles for draining used oil and antifreeze.
- ► Educate customers about recommended maintenance schedules and replacing fluids only when necessary.



Shop Practices

- ► Minimize inventory and use a "first-in, first-out" system to prevent the need for disposal of old unused materials.
- ► Store raw materials and wastes in closed containers in a covered area protected from rain and sunlight.
- Use drip trays under leaking cars and removed parts to keep floors free of contamination.
- Prevent leaks and spills. Keep floors clean.
- ▶ Use the least hazardous type of floor cleaner available.
- For dirty rags, use an approved laundry service that discharges its water to a publicly owned sewer system.
- Do not discharge shop wastes to the ground surface, or to septic tanks. Plug floor drains.

WHO NEEDS TO KNOW IF MY BUSINESS GENERATES HAZARDOUS WASTES?

Notify DEP

▶ If your business is a small or large quantity generator, notify DEP to obtain an EPA identification number. Local environmental agencies should also be notified.



Notify Local Authorities

Police and fire departments and local hospitals who would respond to an emergency need to know that there are hazardous wastes on your property.



Designate an Emergency Coordinator

This person must know what to do in case of a fire, spill or other emergency and must be on the premises or on call 24 hours a day.



Develop a Contingency Plan

Guidance on contingency plans is available from DEP. Large quantity generators must have a written plan that includes:



- Emergency response arrangements with police, fire, hospitals and emergency response contractors.
- ► Emergency coordinators' addresses and phone numbers.
- On-site emergency equipment descriptions and locations.

12

► Evacuation plan and routes, including a site diagram.

Post Emergency Information

Post the following information near every telephone:



Fire department phone number
Emergency coordinator's name and phone number
Locations of fire alarms and extinguishers
Locations of spill control materials



13

WHERE CAN I GET MORE INFORMATION?

Additional information on hazardous waste reduction and regulations is available from many sources.

Florida Department of Environmental Protection

District offices and the Tallahassee office offer technical assistance, fact sheets and other publications on hazardous waste regulations.

► Hazardous Waste Compliance Assistance Program

Phone: (800) 741-4337

(904) 488-0300

Fax: (904) 921-8018

Available publications include:

Summary of Hazardous Waste Regulations Requirements for Conditionally Exempt Small Quantity Generators

Requirements for Small Quantity Generators

Handbook for Small Quantity Generators of Hazardous Waste

Florida Small Business Assistance Program

The Small Business Assistance Program helps businesses with environmental concerns and problems related to compliance with air regulations. Assistance is confidential and staff experts have business experience.

► Phone: (800) 722-7457

U.S. Environmental Protection Agency

The EPA has published a series of industry-specific guidelines and handbooks on preventing pollution and complying with hazardous waste regulations.

► RCRA Hotline

Phone: (800) 424-9346

Your Trade Associations

Many trade associations have published guides to help you find solutions to your hazardous waste management problems.

OFFICES OF THE FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

Hazardous Waste Regulation Section Twin Towers Office Building 2600 Blair Stone Road Tallahassee, FL 32399-2400 (904) 488-0300

